



Inspection Report

LOVELACE BIOMEDICAL RESEARCH INSTITUTE
2425 RIDGECREST S E
ALBUQUERQUE, NM 87108

Customer ID: **1072**
Certificate: **85-R-0003**
Site: 001
LOVELACE BIOMEDICAL
RESEARCH INSTITUTE

Type: ROUTINE INSPECTION
Date: 08-JUN-2022

3.3(a)

Sheltered housing facilities.

Thirty-nine adult beagle dogs were housed in "Kennel J," a sheltered housing facility in which the temperature inside the sheltered area exceeded 29.5 degrees Celsius for approximately six hours. The temperature was measured and recorded by the automated environmental monitoring system as remaining within the range of 29.6 degrees Celsius and 30.9 degrees Celsius with an average temperature of 30.3 degrees Celsius between the hours of 4:45pm and 10:45pm on June 7, 2022.

Dogs that are hot may experience discomfort, lethargy, or stress. Dogs with medical problems or under study may be especially vulnerable to the effects of hot weather. The licensee must provide additional / alternate cooling mechanisms or make adjustments that adequately provide for animal comfort and well-being and ensure ambient temperatures inside the sheltered areas do not exceed 29.5 degrees Celsius for more than four consecutive hours when dogs are present.

Correct by June 17, 2022

This inspection and exit interview were conducted with facility representatives.

Prepared By: TAMILA STOTT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
13-JUN-2022

Received by Title: Facility Representative

Date:
13-JUN-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1072	85-R-0003	001	LOVELACE BIOMEDICAL RESEARCH INSTITUTE	08-JUN-2022

Count	Scientific Name	Common Name
000243	<i>Canis lupus familiaris</i>	DOG ADULT
000304	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY
000014	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000071	<i>Chlorocebus aethiops</i>	AFRICAN GREEN MONKEY / GRIVET
000013	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000645	Total	