



Inspection Report

SeaQuest Folsom LLC
430 Palladio Parkway #1801
Folsom, CA 95630

Customer ID: **6014241**
Certificate: **93-C-1182**
Site: 001
SeaQuest Folsom LLC

Type: ROUTINE INSPECTION
Date: 01-MAY-2023

3.126(a)

Facilities, indoor.

In all of the sloth enclosures, the temperature and humidity monitor was not within the parameters set by the facility. The humidity recorded on the kestrel in each of the sloth enclosures ranged from 46%-55%. Sloths as a species are very sensitive to temperature and humidity, requiring temperature of 75-85 degrees F and 60-80 % humidity for their health and comfort. The facility Standard Operating Procedure is to record the temperature and humidity weekly to ensure it is kept in the appropriate range. The last time the facility recorded the temperature and humidity was 18 April 2023, and the parameters were not within the range. Ensuring that the temperature and humidity in a sloth enclosure is corrected if out of range, and brought back into range is important to the welfare of the sloths.

Correct by 15 May 2023

This inspection and exit interview were conducted with the manager.

Prepared By: KATHARINE FRANK
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
04-MAY-2023

Received by Title: Manager

Date:
04-MAY-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6014241	93-C-1182	001	SeaQuest Folsom LLC	01-MAY-2023

Count	Scientific Name	Common Name
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000001	<i>Tolypeutes matacus</i>	SOUTHERN THREE-BANDED ARMADILLO
000003	<i>Choloepus didactylus</i>	LINNAEUS'S TWO-TOED SLOTH
000003	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000002	<i>Felis sp</i>	DOMESTIC X EXOTIC CAT HYBRID
000001	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000015	Total	