

## Column E Explanation

1. Registration Number: 52-R-0012
2. Number of animals categorized as column E used in this study. 34
3. Species (common name) Pigs of animals used in this study.
4. Explain the procedure producing pain and/or distress. Explanations should include a brief description of the procedure, but also explain what the animal's experience, examples of which may include, but are not limited to: Neurological signs, seizures, tremors, paralysis, lethargy, inappetance, respiratory signs, GI distress, vomiting, and diarrhea.

Piglets infected with human rotavirus (HRV) are expected to experience watery diarrhea, and occasional vomiting particularly in unvaccinated groups which may lead to transient dehydration. HRV infection in pigs is self-limiting and diarrhea stops within 3-5 days. Death does not occurs in Gn pigs after infection with HRV.

5. Attach or include with the reason(s) for why anesthetics, analgesics, and tranquilizers could not be used. (For federally mandated testing, see Item 6 below)

Due to the importance of observing diarrhea, which is a key marker for the studies of the vaccine protective efficacy in this protocol, the piglets will not be administered any antibiotics, anti-inflammatories or electrolytes in order to alleviate the symptoms of norovirus infection. In particular, antibiotics are not indicated for treatment of the pigs because some of the research involves a microbiota or probiotic component, in which case antibiotic treatment would invalidate results. Pigs without any bacteria flora should not need antibiotic treatment for illness. In a recent published guideline for treatment of travelers'

27 NOV 2019

diarrhea, which can include gastrointestinal viruses such as norovirus, antibiotic treatment is only recommended for severe diarrhea in humans . Analgesics and antidiarrheals (loperamide) are also not indicated as they can have an effect on gastrointestinal motility and may alter clinical signs. This is especially a concern with the opioid derivatives. Hence, the normal course of infection in piglets of both unvaccinated and vaccinated groups have to be allowed in this study in order to evaluate the protection efficacy of the experimental vaccines tested against norovirus diarrhea in terms of severity and duration. We want to avoid supportive care and analgesics for all pigs in our study as we would like to keep each treatment group as consistent as possible.

6. What, if any, federal regulation require this procedure? Cite the agency, the code of Federal Regulations (CFR) title number and the specific section number (e.g. APHIS, 9 CFR 113.102): If the requirement is per a guidance document, such as an Agency notice or harmonization guideline, please provide specific sufficient information to identify the cited document.

Agency \_\_\_\_\_ CFR \_\_\_\_\_

27 Nov 2019

## Column E Explanation

1. Registration Number: 52-R-0012
2. Number of animals categorized as column E used in this study. 28
3. Species (common name) Pigs of animals used in this study.
4. Explain the procedure producing pain and/or distress. Explanations should include a brief description of the procedure, but also explain what the animal's experience, examples of which may include, but are not limited to: Neurological signs, seizures, tremors, paralysis, lethargy, inappetance, respiratory signs, GI distress, vomiting, and diarrhea.

Innocation of a virus. The virus can cause transient, mild diarrhea with spontaneous recovery in 1-3 days. Animals that display signs of severe illness or pain, such as anorexia >48 hours, lethargy, sunken eyes, tented skin are euthanized to alleviate suffering.

5. Attach or include with the reason(s) for why anesthetics, analgesics, and tranquilizers could not be used. (For federally mandated testing, see Item 6 below)

Due to the importance of observing diarrhea, which is a key marker for the studies of the vaccine protective efficacy in this protocol, the piglets will not be administered any antibiotics, anti-inflammatories or electrolytes in order to alleviate the symptoms of norovirus infection. In particular, antibiotics are not indicated for treatment of the pigs because some of the research involves a microbiota or probiotic component, in which case antibiotic treatment would invalidate results. Pigs without any bacteria flora should not need antibiotic treatment for illness. In a recent published guideline for treatment of travelers' diarrhea, which can include gastrointestinal viruses such as norovirus, antibiotic

treatment is only recommended for severe diarrhea in humans . Analgesics and antidiarrheals (loperamide) are also not indicated as they can have an effect on gastrointestinal motility and may alter clinical signs. This is especially a concern with the opioid derivatives. Hence, the normal course of infection in piglets of both unvaccinated and vaccinated groups have to be allowed in this study in order to evaluate the protection efficacy of the experimental vaccines tested against norovirus diarrhea in terms of severity and duration. We want to avoid supportive care and analgesics for all pigs in our study as we would like to keep each treatment group as consistent as possible.

6. What, if any, federal regulation require this procedure? Cite the agency, the code of Federal Regulations (CFR) title number and the specific section number (e.g. APHIS, 9 CFR 113.102): If the requirement is per a guidance document, such as an Agency notice or harmonization guideline, please provide specific sufficient information to identify the cited document.

Agency \_\_\_\_\_

CFR \_\_\_\_\_

27 Nov 2019

## Column E Explanation

1. Registration Number: 52-R-0012
2. Number of animals categorized as column E used in this study. 12
3. Species (common name) Pigs of animals used in this study.
4. Explain the procedure producing pain and/or distress. Explanations should include a brief description of the procedure, but also explain what the animal's experience, examples of which may include, but are not limited to: Neurological signs, seizures, tremors, paralysis, lethargy, inappetance, respiratory signs, GI distress, vomiting, and diarrhea.

Intranasal inoculation of a virus. Pigs will may experience and will be monitored closely for clinical signs including fever, milk consumption, weight loss, rhinitis, cough, wheezing and difficulty breathing.

5. Attach or include with the reason(s) for why anesthetics, analgesics, and tranquilizers could not be used. (For federally mandated testing, see Item 6 below)

Unable to treat the animals to relieve the signs of disease because this is a novel model and there are important data points to establish in this virus and disease.

6. What, if any, federal regulation require this procedure? Cite the agency, the code of Federal Regulations (CFR) title number and the specific section number (e.g. APHIS, 9 CFR 113.102): If the requirement is per a guidance document, such as an Agency notice or harmonization guideline, please provide specific sufficient information to identify the cited document.

27 NOV 2019