



Inspection Report

UNIVERSITY OF MASSACHUSETTS AMHERST
217 Mass Venture Center 100 Venture Way
HADLEY, MA 01035

Customer ID: **515**

Certificate: **14-R-0036**

Site: 001

UNIVERSITY OF
MASSACHUSETTS, AMHERST

Type: FOCUSED INSPECTION

Date: 12-JAN-2024

3.80(a)(2)(iii)

Primary enclosures.

On May 13, 2023 an adult male pair housed marmoset was found out of it's cage inside the animal housing room. The other animal remained in the cage. The cage door was ajar, due to the coincidental failure of two security methods used to keep the door closed: both the mechanical failure of the spring latch, and a too-loose connection of the plastic chain used as a secondary method of containing the cage door. Primary enclosures must contain the animals and prevent opening of the enclosure by the animal. The facility must ensure that the animals are securely contained by their primary enclosures.

Corrected immediately upon discovery of the escaped animal on May 13, 2023.

This inspection and exit interview were conducted with the facility representative.

Prepared By: SARA TOBIAS
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
12-JAN-2024

Received by Title: Facility Representative

Date:
12-JAN-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
515	14-R-0036	001	UNIVERSITY OF MASSACHUSETTS, AMHERST	12-JAN-2024

Count	Scientific Name	Common Name
000004	<i>Callithrix jacchus</i>	COMMON MARMOSET
000004	Total	