



Inspection Report

University Of California Davis
One Shields Ave
Davis, CA 95616

Customer ID: **9192**
Certificate: **93-R-0433**
Site: 002

UNIVERSITY OF CALIFORNIA-
DAVIS

Type: ROUTINE INSPECTION

Date: 30-JUL-2025

2.38(f)(1) Critical

Miscellaneous.

Facility employees were responsible for the physical harm and /or unnecessary discomfort to a nonhuman primate when personnel made a mistake during handling and anesthesia. A nonhuman primate experienced a 3 x 5 inch area of skin damage on the right dorsal back, which resulted in month long repeated debridements and extensive wound care before the animal was discharged to their home cage. This trauma was attributed to the administration of subcutaneous fluids which were inappropriately warmed and delivered to the patient without carefully checking the temperature. Handling of all animals shall be done as expeditiously and carefully as possible in a manner that does not cause trauma, physical harm or unnecessary discomfort.

Corrected prior to inspection on 30 July, 2025

Primary enclosures.

On 2/21/25, two macaques, one injured, were found outside of their shared enclosure, but within the indoor housing room. It was later noted that the lock used to secure the door to the main enclosure malfunctioned. The injured animal had a severe right rear leg laceration with muscle transection and a severed calcanean tendon with an associated visible fibula fracture. After a consultation between veterinary staff and the principal investigator, euthanasia was elected rather than repair due to study end point timelines. Housing facilities for nonhuman primates must be designed and constructed so that they are structurally sound for the species of nonhuman primates housed in them. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

Corrected prior to inspection on 30 July 2025

3.80(b)(1)

Primary enclosures.

In two rooms within the EX area containing nonhuman primates, four animals were contained in enclosures that did not meet the minimum required floor space under the Animal Welfare Act. In one room, 3 individuals exceeded 10 kilograms (kgs), but were housed in enclosures that only provided 4.3 square feet of space per individual instead of the required 6

Prepared By: KATHARINE FRANK

USDA, APHIS, Animal Care

Date:

15-AUG-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Attending Veterinarian

Date:

15-AUG-2025



Inspection Report

sq feet per individual, and were not obese or pregnant. In another room, an individual was over 10 kgs but was only housed in 4.3 square feet of space. Most of these animals were pair housed, and their pair mate was under 10 kgs and therefore had sufficient space. Primary enclosures housing nonhuman primates must meet the minimum space requirements to ensure the welfare of the animals contained within.

Correct by 15 August 2025

This inspection and exit interview were conducted with the IACUC and veterinary staff.

Additional Inspectors:

William Campbell, VETERINARY MEDICAL OFFICER

Prepared By: KATHARINE FRANK **Date:**
15-AUG-2025
Title: VETERINARY MEDICAL
OFFICER USDA, APHIS, Animal Care

Received by Title: Attending Veterinarian

Date:
15-AUG-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9192	93-R-0433	002	UNIVERSITY OF CALIFORNIA- DAVIS	30-JUL-2025

Count	Scientific Name	Common Name
004958	<i>Macaca mulatta</i>	RHESUS MACAQUE
000039	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY
000111	<i>Plecturocebus moloch</i>	DUSKY TITI / RED-BELLIED TITI

005108 **Total**